

ONLINE CBT MOODBUSTER: EMERGING RESULTS FROM THE PILOT IN BELGIUM

Eva Van Assche, Bert Bonroy, Kimberly Desie, Marc Mertens, Lore Van den Broeck, & Tom Van Daele

eMEN seminar Dublin







BELGIAN STATE STRUCTURE



- Complex state structure
- Federal and regional governments

Slow legislation processes







BELGIAN MENTAL HEALTH CARE



Inpatient residential care

Medical model

Outpatient community care

Biopsychosocial model







BELGIAN MENTAL HEALTH CARE



Initial contact GP



Psychologists
Psychiatrists
Outpatient centres
Psychiatric departments of general hospitals
Psychiatric hospitals













RECENT MENTAL HEALTH DEVELOPMENTS

Interest in the potential of eMH is rising

Higher education settings embed eMH in research and in courses

Policy level: eHealth and eMH among the major agenda points







In 2018, the public authorities introduced the mHealth pyramid

Level 3

I show social-economic evidence and get reimbursed by RIZIV

Level 2

I am safely connected

Level 1

I am a CE certified medical device

3

2

1









MOODBUSTER STUDY

GOALS

- Reveal which factors promote/hinder implementation of eMH
- Improve future implementation of eMH

SETTINGS

Inpatient residential care settings:

Psychiatric departments of general hospitals Psychiatric hospitals









MOODBUSTER STUDY

1. Attitudes of mental health care organizations on eMH

2. Moodbuster implementation – investigate experiences and attitudes of professionals and patients.









MOODBUSTER STUDY

1. Attitudes of mental health care organizations on eMH

2. Moodbuster implementation – investigate experiences and attitudes of professionals and patients.









MENTAL HEALTH CARE ORGANIZATIONS

- 27/66 completed the questionnaire 24 interested
- Interested in the study because
 - Realize increasing importance of eMH applications
 - Want to gain experience with eMH
- Attitudes
 - Applications can be useful, professionals and patients are interested
 - Time is a major constraint for (non)-interested organizations








PART 2: MOODBUSTER IMPLEMENTATION






















MOODBUSTER IMPLEMENTATION

Patients and professionals use Moodbuster for 3-4 months

Pre- and post-implementation questionnaires

- Attitudes on eMH
- Experiences with Moodbuster
- Reasons for rejection



Goals

- Reveal which factors promote/hinder implementation of eMH
- Improve future implementation of eMH








MOODBUSTER IMPLEMENTATION

Inclusion numbers differ a lot across hospitals

Practical aspects/problems

 Time investment to learn to work with Moodbuster



Specific inpatient settings







THANKS TO























Unlocking the power of technology to improve Europe's mental health.











Interested! Questions? Contact us!

eva.vanassche@thomasmore.be

emen@pulso-europe.eu



www.nweurope.eu/emen



@eMEN_EU





